



### INFORMATION



# Bluetooth Speakerphone for meeting rooms

The omnidirectional audio pickup from up to 3 meters with intelligent noise reduction and echo cancellation algorithms make the UC SPK01M the perfect choice for medium meeting rooms. Guaranteeing seamless connection via Bluetooth, a USB cable or an audio cable this elegant speaker can be paired with up to 3 devices at the same.



### **Omnidirectional**

The UC SPK01M supports 360-degree omnidirectional audio pickup ensuring every voice in your meeting room is transmitted to the participants joining remotely.



# High-quality voice experience

This performance speaker with intelligent noise reduction and echo cancellation algorithms guarantees crystal clear sound for your calls.



# Easy set up

Seamless connection via Bluetooth, a USB cable or an audio cable. The speaker is instantly operational after connection.



# Multiple device connectivity

Connect up to 3 devices at the same time via Bluetooth, a USB cable and an audio cable.

#### **SPECIFICATION**

# 01 SPEAKER

Maximum sound 85dB pressure level

**Distortion** ≤1%

Signal to noise ratio 75dB

Frequency range 150Hz ~ 16kHz

# 02 MICROPHONE

Number of x3 microphone arrays

Voice pickup range 3m (radius)

Frequency range 150Hz ~ 7.5kHz

### 03 CONNECTIVITY & BUTTON OPERATIONS

USB Type C x1 (Audio In/Out, Charge 5V/2A)

AUX x1 (In/Out, 3.5mm)

Bluetooth 4.2+EDR

Buttons Power, Volume, Blutooth, Mute, Answer/Hang up

# 04 ACCESSORIES & BATTERY

Bluetooth receiver yes

USB (type A to C) yes cable

Audio cable yes

Battery capacity 7.4V/2200mAh

Charging wired 5V/2A

Battery life on a 8 hours single charge

# 05 SUSTAINABILITY

Regulations CE, RoHS support, ErP, WEEE, REACH

# 06 DIMENSIONS / WEIGHT

Weight (without box) 0.39kg

EAN code 4948570033034







All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects. © IIYAMA CORPORATION. ALL RIGHTS RESERVED