



# An Intel® i5 slot PC with Windows® 10 IoT Enterprise and TPM 2.0 (Trusted Platform Module)

This mini PC with Intel® Core™ i5 inside turns your ijyama interactive large format display into a stand-alone solution. It comes equipped with a powerful Intel® processor with integrated Ultra HD graphics and a fast SSD drive. No hassle with cables and having to mount a PC at the back of the monitor or on a floor lift. Simply slide in the ijyama slot PC and get started right away.

The module is only compatible with the iiyama TExx04MIS\* Series; 65":  $\underline{\text{TE6504MIS-B1AG}}$  /  $\underline{\text{TE6504MIS-B2AG}}$  , 75":  $\underline{\text{TE7504MIS-B2AG}}$  /  $\underline{\text{TE7504MIS-B2AG}}$  /  $\underline{\text{TE8604MIS-B1AG}}$  /  $\underline{\text{TE8604MIS-B2AG}}$ 

\*Excluding the 98" ProLite TE9804MIS-B1AG



#### \_

Туре	slot PC
CPU	Intel® Core™ i5-10400, TPM 2.0 (Trusted Platform Module)
RAM	8GB DDR4
SSD	256GB M.2
Graphics	Intel® HD Graphics UHD630
Chipset	Intel® H410
Sound card	Cmedia HS-100B
Network	10/100/1000M Adapter
WiFi	802.11/a/b/g/n/ac/ax (M.2) (2.4GHz/5GHz)
Bluetooth	5.2
Operating system	Win 10 IoT Enterprise 64-bit, Windows 11 compatible
LAN (RJ45)	x1
USB	3.0 x4, 3.1 (Type C) x1, 2.0 x2
DisplayPort Out	x1
HDMI Out	x1
Microphone In	x1



#### **POWER MANAGEMENT**

Power supply unit


internal


Power supply	AC AC - 100V, 240/V, 50Hz
Power usage	105W typical, 5W stand by





Product dimensions W x H x D	265.3 x 34.9 x 246.2mm
Box dimensions W x H x D	317 x 103 x 358mm
Weight (without box)	1.95kg
Weight (with box)	3.25kg
EAN code	4948570033065

### SPC51001BC-1









## 04 ENVIRONMENTAL CONDITIONS

Operation temperature range 0°C - 45°C

Operation humidity 10% - 90%

Storage temperature range - 20°C - %2°C

Storage humidity	10% - 90%
------------------	-----------

All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IIYAMA CORPORATION. ALL RIGHTS RESERVED